

SAFETY DATA SHEET

| nolieno | | |
|---|---|---------------|
| Issue Date 27-Nov-2017 | Revision Date 27-Nov-2017 | Version 2 |
| | 1. IDENTIFICATION | |
| <u>Product identifier</u> Product Name | Fluoropolymer Laminated or Coated Polyimide APICAL | |
| Other means of identification Product Code UN/ID no. Synonyms | 101725 Not regulated Fluoropolymer Laminated or Coated Polyimide Film 616; 616ACT; 616B; EF0 J11A9; J20A7; L50S10; L55S10; P77A10; P50A10; T10A10; T10N10; T55N1 T11N7; T11N10; 019; 029; 011; 021; 022; 051; 919; 929; 131 | |
| Recommended use of the chemical Recommended Use Uses advised against | and restrictions on use For industrial use only. No information available | |
| Details of the supplier of the safety Supplier Address Kaneka North America LLC-Apical Div | <u>data sheet</u> /ision 6161 Underwood Road Pasadena Texas 77507 | |
| Emergency telephone number Company Phone Number Emergency Telephone | 800-222-8128 Chemtrec 1-800-424-9300 or 703-527-3887 | |
| | 2. HAZARDS IDENTIFICATION | |
| Classification OSHA Regulatory Status This chemical is not considered hazar Label elements | dous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200 |)) |
| | Emergency Overview | |
| The product contains no sub | stances which at their given concentration, are considered to be hazardous to | nealth |
| Appearance film | Physical state Solid | Odor Odorless |
| Precautionary Statements - Prevent Not applicable | lion | |
| Precautionary Statements - Respor Not applicable | se | |
| Hazards not otherwise classified (H Not applicable | NOC) | |
| Other Information | | |

Other Information
Not applicable

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance Synonyms

Fluoropolymer Laminated or Coated Polyimide Film, 616; 616ACT; 616B; EF019B; J11A7; J11A9; J20A7; L50S10; L55S10; P77A10; P50A10; T10A10; T10N10; T55N10); T55N20; T11N7; T11N10; 019; 029; 011; 021; 022; 051; 919; 929; 131. Polyimide Film.

Chemical Family

| Chemical Name | CAS No. | Weight-% | Trade Secret |
|--------------------|-------------|----------|--------------|
| Polyimide Polymer | Proprietary | 60 - 100 | * |
| Titanium dioxide | 13463-67-7 | <10 | * |
| Silicon dioxide | 7631-86-9 | <1 | * |
| Aluminum Hydroxide | 21645-51-2 | <1 | * |
| Teflon Backing | 25067-11-2 | 0.1 - 1 | * |
| Dimethylformamide | 68-12-2 | <0.1 | * |

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

| Eye contact | Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician. |
|---|---|
| Skin contact | Wash off immediately with plenty of water for at least 15 minutes. Take off contaminated clothing. Get medical attention if irritation develops and persists. |
| Inhalation | Remove to fresh air. If symptoms persist, call a physician. |
| Ingestion | Call a physician or poison control center immediately. Do NOT induce vomiting. Rinse mouth. |
| Most important symptoms and effects, both acute and delayed | |

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Small Fire Dry chemical or CO2.

Large Fire Water spray or fog. Move containers from fire area if you can do it without risk.

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the chemical

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Hazardous combustion products Carbon oxides. Nitrogen oxides (NOx). Dimethylamine.

Explosion data Sensitivity to Mechanical Impact Not sensitive. Sensitivity to Static Discharge Not sensitive.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

| 6. ACCIDENTAL RELEASE MEASURES | | | | |
|--|--|--|--|--|
| Personal precautions, protective eq | Personal precautions, protective equipment and emergency procedures | | | |
| Personal precautions | Ensure adequate ventilation, especially in confined areas. | | | |
| Environmental precautions | | | | |
| Environmental precautions | See section 12 for additional ecological information. | | | |
| Methods and material for containme | ent and cleaning up | | | |
| Methods for containment | Prevent further leakage or spillage if safe to do so. | | | |
| Methods for cleaning up | Sweep up and shovel into suitable containers for disposal. | | | |
| 7. HANDLING AND STORAGE | | | | |
| Precautions for safe handling | | | | |
| Advice on safe handling | Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only in well-ventilated areas. Slip hazard if good housekeeping practices are not followed. | | | |
| Conditions for safe storage, including | ng any incompatibilities | | | |
| Storage Conditions | Keep in properly labeled containers. Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from direct sunlight. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). | | | |
| Incompatible materials | Finely powdered metals. Fluorinated compounds. | | | |

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|--------------------|-------------------------------------|--|------------------------------|
| Titanium dioxide | TWA: 10 mg/m ³ | TWA: 15 mg/m ³ total dust | IDLH: 5000 mg/m ³ |
| 13463-67-7 | | (vacated) TWA: 10 mg/m ³ total dust | - |
| Aluminum Hydroxide | TWA: 1 mg/m ³ respirable | - | - |
| 21645-51-2 | particulate matter | | |
| Silicon dioxide | - | (vacated) TWA: 6 mg/m ³ <1% | IDLH: 3000 mg/m ³ |
| 7631-86-9 | | Crystalline silica | TWA: 6 mg/m ³ |
| | | TWA: 20 mppcf | |
| | | : (80)/(% SiO2) mg/m ³ TWA | |
| Dimethylformamide | TWA: 10 ppm | TWA: 10 ppm | IDLH: 500 ppm |
| 68-12-2 | S* | TWA: 30 mg/m ³ | TWA: 10 ppm |
| | | (vacated) TWA: 10 ppm | TWA: 30 mg/m ³ |
| | | (vacated) TWA: 30 mg/m ³ | |
| | | (vacated) S* | |
| | | S* | |

Appropriate engineering controls

Engineering Controls

Ensure adequate ventilation, especially in confined areas.

Individual protection measures, such as personal protective equipment

| Eye/face protection | Wear safety glasses or goggles if during the use of this product operations may produce flying debris or particulates. |
|--------------------------------|---|
| Skin and body protection | Due to possibility of cuts from film, light-weight gloves (fabric or latex) may be appropriate to wear when handling film. |
| Respiratory protection | If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations. |
| General Hygiene Considerations | Handle in accordance with good industrial hygiene and safety practice. |

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

| Physical state Appearance Color | Solid film amber yellow | Odor Odor threshold | Odorless No information available |
|--|--|-------------------------|--------------------------------------|
| Property pH Melting point / freezing point Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density Relative density Water solubility Solubility in other solvents Partition coefficient Autoignition temperature Decomposition temperature Kinematic viscosity | Values_ No information available > 350 °C 662 °F No information available No information available | <u>Remarks • Method</u> | |
| Dynamic viscosity Explosive properties Oxidizing properties | No information available No information available No information available | | |
| Other Information | | | |
| Softening point Molecular weight VOC Content (%) Density Bulk density | No information available No information available No information available No information available No information available | | |

10. STABILITY AND REACTIVITY

Reactivity

Stable under conditions of normal temperature and pressure.

Chemical stability

Stable under conditions of normal temperature and pressure.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous polymerization Hazardous polymerization does not occur.

Conditions to avoid

Extremes of temperature and direct sunlight.

Incompatible materials

Finely powdered metals. Fluorinated compounds.

Hazardous Decomposition Products

Carbon oxides. Nitrogen oxides (NOx). Dimethylamine. Hydrogen fluoride. Carbonyl fluoride. Aluminum oxides. Perfluoroisobutylene. titanium dioxide.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

| Product Information | Product does not present an acute toxicity hazard based on known or supplied information |
|---------------------|--|
| Inhalation | Inhalation of vapors in high concentration may cause irritation of respiratory system. |
| Eye contact | Prolonged contact may cause redness and irritation. |
| Skin contact | Prolonged contact may cause redness and irritation. |
| Ingestion | Unlikely route of exposure. |

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|----------------------------------|---|--|---------------------|
| Titanium dioxide 13463-67-7 | > 10000 mg/kg (Rat) | - | - |
| Aluminum Hydroxide 21645-51-2 | > 5000 mg/kg (Rat) | - | - |
| Silicon dioxide 7631-86-9 | > 5000 mg/kg (Rat) | > 2000 mg/kg (Rabbit) | > 2.2 mg/L (Rat)1 h |
| Dimethylformamide 68-12-2 | = 2800 mg/kg (Rat)= 2000 mg/kg (Rat) | = 1100 mg/kg (Rat)> 3.2 g/kg (Rat) | - |

Information on toxicological effects

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

| Sensitization | No information available. |
|--------------------------|---------------------------|
| Germ cell mutagenicity | No information available. |
| Carcinogenicity | No information available. |
| Reproductive toxicity | No information available. |
| STOT - single exposure | No information available. |
| STOT - repeated exposure | No information available. |
| Aspiration hazard | No information available. |

Numerical measures of toxicity - Product Information

12. ECOLOGICAL INFORMATION

Ecotoxicity

| Chemical Name | Algae/aquatic plants | Fish | Crustacea |
|-------------------|-------------------------------|-----------------------------------|----------------------------------|
| Silicon dioxide | 440: 72 h Pseudokirchneriella | 5000: 96 h Brachydanio rerio mg/L | 7600: 48 h Ceriodaphnia dubia |
| 7631-86-9 | subcapitata mg/L EC50 | LC50 static | mg/L EC50 |
| Dimethylformamide | 500: 96 h Desmodesmus | 10410: 96 h Pimephales promelas | 6800 - 13900: 48 h Daphnia magna |

| 68-12-2 | subspicatus mg/L EC50 | mg/L LC50 flow-through 6300: 96 h | mg/L EC50 Static 7500: 48 h |
|---------|-----------------------|-----------------------------------|-------------------------------|
| | | Lepomis macrochirus mg/L LC50 | Daphnia magna mg/L EC50 8485: |
| | | 9800: 96 h Oncorhynchus mykiss | 48 h Daphnia magna mg/L EC50 |
| | | mg/L LC50 flow-through | semi-static |

Persistence and degradability

These products are not expected to bio-degrade significantly in the environment.

Bioaccumulation

Bioaccumulative potential.

Mobility in soil

| Chemical Name | Partition coefficient | |
|-------------------|-----------------------|--|
| Dimethylformamide | -1.028 | |
| 68-12-2 | | |

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Contaminated packaging

Do not reuse container.

14. TRANSPORT INFORMATION

| DOT UN/ID no. Hazard Class Subsidiary class Packing Group Reportable Quantity (RQ) Special Provisions Emergency Response Guide Number | Not regulated Not regulated Not regulated Not regulated Not regulated Not regulated Not regulated |
|---|---|
| UN/ID no. | Not regulated |
| Hazard Class | Not regulated |
| Subsidiary class | Not regulated |
| Packing Group | Not regulated |
| Special Provisions | Not regulated |
| UN/ID no. | Not regulated |
| Hazard Class | Not regulated |
| Subsidiary class | Not regulated |
| Special Provisions | Not regulated |
| Packing Group | Not regulated |
| UN/ID no. | Not regulated |
| Hazard Class | Not regulated |

| Revision | Date | 27-Nov-2017 |
|----------|------|-------------|
|----------|------|-------------|

| Subsidiary hazard class | Not regulated |
|-------------------------|---------------|
| Packing Group | Not regulated |
| Special Provisions | Not regulated |
| UN/ID no. | Not regulated |
| Proper shipping name | Not regulated |
| Hazard Class | Not regulated |
| Subsidiary hazard class | Not regulated |
| Packing Group | Not regulated |
| ERG Code | Not regulated |
| Special Provisions | Not regulated |
| Description | Not regulated |
| UN/ID no. | Not regulated |
| Proper shipping name | Not regulated |
| Hazard Class | Not regulated |
| Subsidiary hazard class | Not regulated |
| Packing Group | Not regulated |
| EmS-No. | Not regulated |
| Special Provisions | Not regulated |
| Description | Not regulated |
| UN/ID no. | Not regulated |
| Hazard Class | Not regulated |
| Packing Group | Not regulated |
| Classification code | Not regulated |
| Special Provisions | Not regulated |
| Labels | Not regulated |
| UN/ID no. | Not regulated |
| Hazard Class | Not regulated |
| Packing Group | Not regulated |
| Classification code | Not regulated |
| Tunnel restriction code | Not regulated |
| Special Provisions | Not regulated |
| Labels | Not regulated |
| UN Number | Not regulated |
| Hazard Class | Not regulated |
| Packing Group | Not regulated |
| Classification code | Not regulated |
| Special Provisions | Not regulated |
| Hazard label(s) | Not regulated |
| Limited quantity (LQ) | Not regulated |
| Transport category | Not regulated |
| Ventilation | Not regulated |
| Equipment Requirements | Not regulated |

15. REGULATORY INFORMATION

International Inventories TSCA

This is an article and is not subject to the requirements of TSCA. The polymer(s) in this product meet the criteria of the TSCA Polymer Exemption as set forth at 40 CFR 723.259(e)(2). Polymers reviewed and certified under the TSCA Polymer Exemption are not added to the TSCA inventory. Companies, other than Kaneka North America LLC., seeking to manufacture or import the same polymer are obligated to create their own Polymer Exemption Review Certification prior to engaging in manufacturing or import.

Legend:

 TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

 EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

| Acute health hazard | No |
|-----------------------------------|----|
| Chronic Health Hazard | No |
| Fire hazard | No |
| Sudden release of pressure hazard | No |
| Reactive Hazard | No |

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Chemical Name | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ) |
|-------------------|--------------------------|----------------|--------------------------|
| Dimethylformamide | 100 lb | - | RQ 100 lb final RQ |
| 68-12-2 | | | RQ 45.4 kg final RQ |
| | | | |

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

| Chemical Name | California Proposition 65 | |
|-------------------------------|---------------------------|--|
| Titanium dioxide - 13463-67-7 | Carcinogen | |

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania |
|------------------------------|------------|---------------|--------------|
| Dimethylformamide 68-12-2 | Х | X | Х |

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA

Health hazards 1

.. .. .

Flammability 1

Flammability 1

Physical hazards 0

Instability 0

Physical and Chemical Properties -Personal protection X

HMIS

Health hazards 1

27-Nov-2017 27-Nov-2017

Revision Note No information available

Disclaimer

Issue Date

Revision Date

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet